



A V 8 6

INSTRUCTIONS

1954 GMT

INTRODUCTION

To name each model, we looked back in time to find important moments in the history of horology to acknowledge those milestones.

For this model we went back to 1954 where the first watch with a GMT function, as we know it today, was introduced to the mass market.

First created for pilots flying across time zones in a matter of hours, the GMT function kept track of both the local time and the time in the place from where they departed. No longer exclusive to the first great travellers of the world, the 1954 GMT World traveler is the perfect companion as you embark on your next adventurous travels.

SPECIFICATIONS

Caliber:	Ronda 515.24H
Battery life:	Approx. 3 years Renata 371 (recommended)
Glass:	Domed Sapphire Crystal
Water Resistance:	10.ATM – Water tested to 100 meters Suitable for swimming and diving


HOW TO SET TIME AND DATE

1. Unscrew and pull out the crown to the first click position
2. Turn crown clockwise to set date
3. Turn crown counter clockwise to adjust GMT hand
4. Pull out the crown to second click position
5. Turn the crown to move hour, GMT and minute hand
6. Remember to securely screw in the crown.

You do so by placing the crown at first click position and then push the crown towards the watch while screwing it clockwise until it's 100% tight.

If this is not done correctly you risk that moist and dust will enter your watch!

OVERVIEW



HOW TO USE THE SECOND TIMEZONE

1. Turn the bezel to get the desired time difference at the 12H position
2. Use the GMT hand as the hour hand



A V 8 6

CELEBRATE YOUR MOMENT

Go to www.AV86.com for warranty information